

www.honeywellvideo.com

#### WALL AND CEILING MOUNT OPTIONS

The sleek design of Honeywell's LCD monitor mounts is ideal for applications where a high level of security is required along with a high level of discretion. These mounts are designed to maximize the inconspicuous look by minimizing the appearance of the monitors' presence without sacrificing surveillance effectiveness.

Every application is unique, which is why Honeywell offers this wide range of mounts designed to precisely meet the needs of the most demanding environments, without intruding on the overall aesthetic of that environment. Whether the application calls for fixed or tilting wall mounts, ceiling mounts or articulating arm mounts, these mounts are produced with a specific focus on durability, reliability and convenience.

While aesthetics are important, these mounts distinguish themselves through performance. They deliver easy installation and ease-of-use that takes the guesswork out of implementation. Setting them up is a snap as they can be mounted to a single wood stud or concrete, while one-touch tilt allows for fast, flexible tilt adjustment.

The capabilities these mounts place at the fingertips of end users are extensive, and the bottom line is simple – these monitor mounts take the performance of a monitor system to a higher level by seamlessly integrating with and complementing the system.

#### **Market Opportunities**

The wide range of mounting options for Honeywell's LCD monitors allows them to be used in most applications. Whether wall mounted in a security or surveillance room or office area, ceiling mounted in a retail public display or in more difficult situations where a flexible mount is needed, the combination of Honeywell's LCD monitors and mounts, fit almost any application.

#### **Features**

- VESA® compliant
- One-touch tilt allows for flexible tilt adjustment
- Desired tilt angle can be locked in place as required
- Hardware included for wood or concrete installations (where applicable)
- Theft-resistant security fasteners included (where applicable)



Fixed Mount



Tilting Wall Mount



Ceiling Mount



Articulating Arm Mount




www.honeywellvideo.com

### **SPECIFICATIONS**


#### **HMLCDFM Fixed Wall Mount**

| Mechanical      |  |  |
|-----------------|--|--|
| Locking Method  | Screws                                     |  |
| Mounting Method | Slide together for quick mount             |  |
| Maximum Load    | 66 lb (30.0 kg)                            |  |
| Dimensions      | See Line Drawing                           |  |
| Construction    | Housing: Steel<br>Finish: Gray Powder Coat |  |
| Regulatory      |  |  |
| Safety          | VESA 75/100 compliant                      |  |



#### **HMLCDTM Tilting Wall Mount**

| Mechanical      |   |  |
|-----------------|---|--|
| Tilt            | +15/-5°                                     |  |
| Locking Method  | Screws                                      |  |
| Mounting Method | Slide together for quick mount              |  |
| Maximum Load    | 80 lb (36.29 kg)                            |  |
| Dimensions      | See Line Drawing                            |  |
| Construction    | Housing: Steel<br>Finish: Black Powder Coat |  |
| Regulatory      |   |  |
| Safety          | VESA 75/100 compliant                       |  |






www.honeywellvideo.com

## WALL AND CEILING MOUNT OPTIONS


#### **HMLCDCM** Ceiling Mount

| Mechanical      |   |  |  |
|-----------------|---|--|--|
| Pan Adjust      | 360° Swivel rotation                        |  |  |
| Tilt            | +20/-5°                                     |  |  |
| Locking Method  | Screws                                      |  |  |
| Mounting Method | Portrait or Landscape orientation           |  |  |
| Maximum Load    | 40 lb (18.14 kg)                            |  |  |
| Dimensions      | See Line Drawing                            |  |  |
| Construction    | Housing: Steel<br>Finish: Black Powder Coat |  |  |
| Regulatory      |   |  |  |
| Safety          | VESA 75/100 compliant                       |  |  |



#### **HMLCDARM Articulating Arm Mount**

| Mechanical      |  |  |  |
|-----------------|--|--|--|
| Pan Adjust      | 360° Swivel rotation                       |  |  |
| Tilt            | +20/-5°                                    |  |  |
| Locking Method  | Screws                                     |  |  |
| Mounting Method | Portrait or Landscape orientation          |  |  |
| Maximum Load    | 40 lb (18.14 kg)                           |  |  |
| Dimensions      | See Line Drawing                           |  |  |
| Construction    | Housing: Steel<br>Finish: Gray Powder Coat |  |  |
| Regulatory      |  |  |  |
| Safety          | VESA 75/100 compliant                      |  |  |



## WALL AND CEILING MOUNT OPTIONS

| LCD Monitor and Mount Compatibility |           |          |           |          |  |
|-------------------------------------|-----------|----------|-----------|----------|--|
|                                     | HMLCD17e2 | HMLCD17L | HMLCD19e2 | HMLCD19L |  |
| Mounts                              |           |          |           |          |  |
| HMLCDTM                             | Х         | х        | ×         | Х        |  |
| HMLCDCM                             | Х         | х        | х         | Х        |  |
| HMLCDARM                            | Х         | х        | х         | х        |  |
| HMLCDFM                             | Х         | Х        | Х         | Х        |  |

| Ordering |                            |
|----------|----------------------------|
| HMLCDFM  | Fixed Wall Mount           |
| HMLCDTM  | Tilting Wall Mount         |
| HMLCDCM  | Ceiling Mount              |
| HMLCDARM | 17" Articulating Arm Mount |

NOTE: Honeywell reserves the right, without notification, to make changes in product design or specifications.

**Honeywell Security** 

Honeywell Video Systems 2700 Blankenbaker Pkwy, Suite 150 Louisville, KY 40299 1.800.796.CCTV www.honeywell.com

